



	μ.		1501- +	( 17/07-09-2016)	
μ					
4.10	1.18	μ μ	08-06-08-03 *		08-06-08-03
4.11	1.19	μ μ μ			
6.01.01.02	1.20	μ diesel μ 1,0 2,0 HP	08-10-01-00		
			08-10-02-00		
5.04	1.21	μ μ μ	08-01-03-02 *	μ	08-01-03-02
9.01	2.01		01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
9.10.04	2.02	μ μ μ C16/20	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.10.05	2.03	μ μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.26	2.04	μ μ μ	01-02-01-00 *	μ μ	01-02-01-00
38.20.03	2.05	μ μ μ μ B500C	01-02-01-00 *	μ μ	01-02-01-00
13.02.02	3.01	μ DN50mm			
13.02.03	3.02	μ DN70mm			
13.03.03.01	3.03	16 atm μ μ DN 50 mm	08-06-07-02 *		08-06-07-02
13.03.03.01	3.04	16 Atm, μ μ μ DN 70mm			

	μ.		1501- +	( 17/07-09-2016)	
μ					
13.03.03.02	3.05	16 atm μ μ DN 80 mm	08-06-07-02 *		08-06-07-02
13.03.03.03	3.06	16 atm μ μ DN 100 mm	08-06-07-02 *		08-06-07-02
\ 16.01	4.01	μ μ			
16.14.01	4.02	μ μ 1917, μ 1,20 m			
.16.10.03	4.03	16- 50			
12.13.03.19	4.04	60- 63			
12.13.03.20	4.05	75- 80- 90			
12.13.03.21	4.06	100- 110			
12.13.03.22	4.07	125			
12.13.03.23	4.08	140			
12.13.03.24	4.09	150- 160			
12.13.03.25	4.10	175- 200			
12.13.03.26	4.11	225			
12.13.03.27	4.12	250- 280			
12.13.03.28	4.13	300- 315			
16.18.01.01	4.14	PVC/41 μ. μ μ D160 mm μ	08-06-02-02 *	-PVC	08-06-02-02
002.1	4.15	μ			
029	4.16	μ P.V.C. μ 400			
12.13.03.29	4.17	355			
12.13.02.02	5.01	10 at μ μ PVC-U μ D 63 mm	08-06-02-01		
12.13.02.03	5.02	10 at μ μ PVC-U μ D 75 mm	08-06-02-01		
12.13.02.04	5.03	10 at μ μ PVC-U μ D 90 mm	08-06-02-01		
12.14.01.04	5.04	μ μ 12201-2 (PE) μ μ MRS10 = 10 MPa, μ μ 12201-2 μ. μ DN 63 mm / μ , atm			

	μ.		1501- +	( 17/07-09-2016)	
μ					
12.14.01.05	5.05	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 75 mm / 10 atm			
12.14.01.06	5.06	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 90 mm / 10 atm			
12.10.04	5.07	μ μ PVC-U μ 41, DN 200 mm PVC-U, SDR	08-06-02-02 *	-PVC	08-06-02-02

μ

/ /

2017

μ . .

/ /