



	μ.		1501- +	( 17/07-09-2016)	
μ					
\ 1.2	1.16	μ μ 0.10m			
\ 2.2	1.17	μ μ 0.10m			
03	1.18		05-03-11-01		
08.1	1.19	0,05 m μ , μ μ	05-03-11-04 *	μ ( ) μ μ	05-03-11-04
51	1.20	μ	05-02-01-00 *	- -	05-02-01-00
9.01	2.01		01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
9.10.03	2.02	, μ μ , μ μ C12/15	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.10.05	2.03	, μ μ , μ μ C20/25	01-01-01-00 *	μ	01-01-01-00
			01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.26	2.04	μ μ μ	01-02-01-00 *	μ μ	01-02-01-00
\ 34	2.05	μ , 2,0cm μ			
\ 16.01	3.01	μ μ			
16.04	3.02	PVC/41 μ. μ μ D160 mm μ	08-06-02-02 *	-PVC	08-06-02-02
16.14.01	3.03	μ μ μ 1917, μ μ 1,20 m			
\ 16.13	3.04				

	μ.		1501- +	( 17/07-09-2016)	
μ					
\ 16.14	3.05	μ μ - 63 110	μ μ 3μ. μ		
\ 16.14.1	3.06	μ μ - 125 160	μ μ 3μ. μ		
\ 16.14.2	3.07	μ μ - 175 225	μ μ 3μ. μ		
\ 16.14.3	3.08	μ μ - 250 355	μ μ 3μ. μ		
\ 16.15.1	3.09	63 110 μ 16.18.2) μ μ	μ 3μ.(		
\ 16.15.2	3.10	125 160 μ 16.18.2) μ μ	μ 3μ.(		
\ 16.15.3	3.11	175 225 μ 16.18.2) μ μ	μ 3μ.(		
\ 16.15.4	3.12	250 355 μ 16.18.2) μ μ	μ 3μ.(		
12.10.04	3.13	μ 41, DN 200mm	PVC-U μ PVC-U,SDR		
12.10.05	3.14	μ 41, DN 250mm	PVC-U μ PVC-U,SDR		
12.13.02.02	3.15	10atm μ μ	PVC-U μ D 63 mm		
12.13.02.03	3.16	10atm μ μ	PVC-U μ D 75 mm		
12.13.02.04	3.17	10atm μ μ	PVC-U μ D 90 mm		

	μ.		1501- +	( 17/07-09-2016)	
μ					
002.1	4.01	μ			
\ .04.01.02	4.02	μ - μ			

μ

/ /

12-10- 2017  
μ . .

/ /