

(.)

:
: 16/2018

μ μ -
: 17/07-09-2016 (: 75 46530 - 2), 26/ 04-10-2012 (: 4 81-70)

	μ.		1501- +	(17/07-09-2016)	
μ					
2.01	1.01	μ μμ μ μ			
3.10.01.01	1.02	μ μ μ 3,00 m, μ 4,00 m	08-01-03-01		
3.10.02.01	1.03	μ μ μ 3,00 m, μ μ 4,00 m	08-01-03-01		
3.12	1.04	μ μ μ μ μ			
3.13	1.05	μ μ μ			
3.19.02.03	1.06	μ D200	08-01-04-02		
4.09.02	1.07	μ μ 10 cm			
5.04	1.08	μ μ μ μ	08-01-03-02 *	μ	08-01-03-02
5.05.02	1.09	μ μ μ μ μ μ 50 cm	08-01-03-02 *	μ	08-01-03-02
5.07	1.10	μ μ μ μ μ	08-01-03-02 *	μ	08-01-03-02
6.01.01.03	1.11	μ diesel μ 2,0 5,0 HP	08-10-01-00		
			08-10-02-00		
7.01	1.12	μ μ			
7.06	1.13	μ μ μ			
11	1.14				

	μ.		1501- +	(17/07-09-2016)	
μ					
9.01	2.01		01-03-00-00 *	μ	01-03-00-00
			01-04-00-00		
9.10.03	2.02	, μ μ , μ μ	01-01-01-00 *	μ	01-01-01-00
		C12/15	01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.10.05	2.03	, μ μ , μ μ	01-01-01-00 *	μ	01-01-01-00
		C20/25	01-01-02-00		
			01-01-03-00 *	μ	01-01-03-00
			01-01-04-00 *	μ μ	01-01-04-00
			01-01-05-00		
			01-01-07-00		
9.26	2.04	μ μ μ	01-02-01-00 *	μ μ	01-02-01-00
36	2.05	μ			
63.01	2.06	K μ			
9.30.01	2.07	2.00 1.50 m , DN < 600 mm,			
9.31.01	2.08	,			
9.36	2.09				
11.01.02	3.01	K μμ μ (ductile iron)			
11.05.01	3.02	μ ,			
		μ			
11.07.02	3.03	μ μ ISO 1641, μ μ 75 μm (μ).	08-07-02-01		

	μ.		1501- +	(17/07-09-2016)	
μ					
12.14.01.30	3.04	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 160 mm / 12,5 atm			
12.14.01.31	3.05	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 200 mm / 12,5 atm			
12.14.01.33	3.06	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 250 mm / 12,5 atm			
12.14.01.36	3.07	μ μ 12201-2 (PE) μ E 100 (μ MRS10 = 10 MPa), μ μ μ , 12201-2 μ. μ DN 355 mm / 12,5 atm			
12.15.08	3.08	iron) DN 400 mm / C30, (ductile 545			
12.15.10	3.09	iron) DN 500 mm / C30, (ductile 545			
12.17.01	3.10	μ (ductile iron). μ , , , , μ (μ , μ), μ (μ μ), , μ 545 681-1			
13.03.03.01	3.11	μ μ DN 50 mm 16 atm μ μ	08-06-07-02 *		08-06-07-02
13.03.03.03	3.12	μ μ DN 100 mm 16 atm μ μ	08-06-07-02 *		08-06-07-02
13.03.03.05	3.13	μ μ DN 150 mm 16 atm μ μ	08-06-07-02 *		08-06-07-02

	μ.		1501- +	(17/07-09-2016)	
μ					
13.03.03.07	3.14	16 atm μ μ DN 200 mm	08-06-07-02 *		08-06-07-02
13.03.03.09	3.15	μ 16 atm μ DN300	08-06-07-02 *		08-06-07-02
13.03.03	3.16	μ 16 atm μ DN400	08-06-07-02 *		08-06-07-02
13.10.02.01	3.17	μ μ - μ 16atm μ DN50mm	08-06-07-07 *	-	08-06-07-07
13.10.01.04	3.18	μ μ - μ 10 atm μ DN 150 mm	08-06-07-07 *	-	08-06-07-07
11.01.02	3.19	μμ			
13.15.01.06	3.24	μ μ μ 10atm DN 150mm	08-06-07-05		
13.15.01.08	3.25	μ μ μ 10atm DN 200mm	08-06-07-05		
13.15.01.10	3.26	μ μ μ 10atm DN 300mm	08-06-07-05		
13.15.01.12	3.27	μ μ μ 10 at DN 400 mm	08-06-07-05		
13.10.02	3.28	DN400	08-06-07-07 *	-	08-06-07-07
13.12	3.29	μ D400			
16.02	3.30				
16.16.01	3.31	μ (μ μ μ μ) μ 100 mm μ μ μ μ 80			

μ

/ μ /

01-08-2018

μ . .

/ μ /